

# HYDRATION PRODUCTS

DRINKING  
FOUNTAINS

BOTTLE  
FILLERS



This brochure represents a portion of the extensive hydration product line that HAWS® offers.

Visit [www.hawsco.com](http://www.hawsco.com) for a comprehensive list of products and accessories.

model 1211SF



# ABOUT HAWS®

Global Customers  
Global Vision  
Local Service

Ingenuity is the *Haws* culture. Every day we work to address your needs and solve your challenges by applying imagination and initiative to make your job easier.

*Haws* is committed to improving the health and safety of our global community by providing customer focused hydration, safety, and tempering solutions. With more than 8,000 distribution locations and 250 employees worldwide, we continually focus on quality, service, reliability and complete solution support.

With the invention of the drinking fountain in 1906 by Luther Haws, the *Haws* Sanitary Drinking Faucet Company formed in 1909 in Berkeley, California. During the 1950s, *Haws* introduced emergency drench showers and safety eyewashes into its manufacturing line. Establishing headquarters in Sparks, Nevada in 1996, *Haws* continued expanding, opening various global locations. In 2018, the Nevada Division of Industrial Relations awarded SHARP status (Safety and Health Achievement Recognition Program) to *Haws*.

**CORE PURPOSE:** To Improve the Health & Safety of Our Global Community



## QUALITY THAT DELIVERS. DESIGN THAT CAPTIVATES.

### Essential to any project.

Designed with the installer in mind, the unit provides large clearances inside to allow for easy installation, filter replacement, and maintenance. All of these features make the EWC the most economical and modern choice on the market.



## HYDRATION STATION™

### Electric Water Coolers & Bottle Fillers



#### DURABLE

- Best-in-Class vandal resistant touchless bottle filler sensor, resistant to scratching from knives or razors, abrasion, dirt and regular use buildup
- Vandal resistance features also include a hidden programming button, anti-rotational bubbler head, torx bit access screws, steel frame, and fasteners hidden from view
- Integral laminar flow technology
- Enhanced tankless water cooler for consistently cooled water during use (Patent # US11203516B2)
- Self-leveling mounting system ensures flush alignment every time (Patent # US10934694B1)



#### HYGIENIC

- 24-hour purge feature on bottle filler
- NSF certified carbon block filter cartridge
- Service life: 1 year or 3,000 gallons (11356L)
- Hands-free sensor options available
- Sensor-activated bottle filler

#### SUSTAINABLE

- Energy saving 24-hour automatic shut-off feature when idle for extended periods of time
- Bottle counter display for single use plastic bottles saved
- 100% lead-free waterways

#### FUNCTIONAL

- Industry-leading bottle fill rate (1.5 gpm)
- Large clearances make filter replacement and maintenance painless
- Designed with retrofit and replacement advantages



#### 1212SF HI-LO, FILTERED ELECTRIC WATER COOLER WITH BOTTLE FILLER

Hi-lo, stainless steel, filtered electric water cooler with sensor-operated bottle filler.



#### 1211SF SINGLE, FILTERED ELECTRIC WATER COOLER WITH BOTTLE FILLER

Single, stainless steel, filtered electric water cooler with sensor-operated bottle filler.



#### 1210SF FILTERED ELECTRIC WATER COOLER BOTTLE FILLER

Stainless steel, filtered, sensor-operated electric water cooler bottle filler with resting platform from basin.

#### 1202SF HI-LO, FILTERED ELECTRIC WATER COOLER

Hi-lo, stainless steel, filtered electric water cooler with an electronic valve and push bar assembly.

#### 1201SF SINGLE FILTERED ELECTRIC WATER COOLER

Single, stainless steel, filtered electric water cooler with an electronic valve and push bar assembly.



All models available with non-filter options.

# OUTDOOR BOTTLE FILLER & DRINKING FOUNTAIN


This highly-configurable product comes with fully ADA compliant standard models ideal for all outdoor installations, including school campuses, office courtyards, parks and recreational facilities.



**3611 with 3670 dog bowl**  
**ADA OUTDOOR STAINLESS STEEL BOTTLE FILLER AND FOUNTAIN WITH DOG BOWL**  
 Heavy-duty outdoor, ADA pedestal bottle filler, drinking fountain and dog bowl with matte silver powder-coated finish. **AVAILABLE IN CUSTOM COLORS**



## CUSTOM COLOR OPTIONS



### STANDARD COLOR



For custom colors, contact customer service: [customerservice@hawsco.com](mailto:customerservice@hawsco.com), or call 888.640.4297.

## KEY FEATURES:

- All stainless steel valve body for durability, and fully serviceable through the front of the push button assembly to access water control cartridge and water stream height adjustment
- Certified by CSA to NSF/ANSI 61, Section 9 and NSF/ANSI 372
- Standard models are fully ADA compliant
- Laminar, 1 GPM (3.8LPM) flow rate
- Drain pan logo and bottle color customization available
- Interchangeable accessory options
- 100% lead free waterways
- Modular arm design for pre- and in-field placement and variations
- Base pedestal is equipped with five hydration placement options and three lower accessory options
- Industry's smallest installation footprint
- Easy installation with convenient access to internal plumbing
- Top-down drain access for easy cleaning and maintenance
- Stainless steel with silver matte powder-coated exterior for an aesthetically appealing look that will withstand the elements
- Freeze-resistant (FR) options to maintain functionality in cold weather environments
- Filter (F) options with 3000 gallon carbon block filter that reduces chlorine (taste and odor) and lead, and removes 99.99% of cysts
- Competitive pricing with multiple configuration options
- Environmentally-friendly hydration solution for reduced plastic consumption

\*will increase lead times

# WALL MOUNTED ARCHITECTURAL



**1001HPS**  
**BARRIER-FREE FOUNTAIN**

Barrier-free, high-polished stainless steel drinking fountain with sculpted bowl and 100% lead-free waterways.



**1011HPSHO**  
**BARRIER-FREE, HI-LO FOUNTAIN**

With one sensor-operated button and one push button allowing for a touchless option. High-polished stainless steel fountain with round sculpted bowls. Model 1011HPSHO2 provides two sensor-operated buttons.



**1001HPSHO**  
**SENSOR-OPERATED, BARRIER-FREE FOUNTAIN**

Sensor-operated, high-polished stainless steel drinking fountain with round sculpted bowl and 100% lead-free waterways.

**H1011.8HO2**  
**SENSOR-OPERATED, HI-LO FOUNTAIN**

Sensor-operated hi-lo fountain for touchless hydration. Stainless steel with satin finish, unit provides 8 GPH (30.28 LPH) of chilled water. Model H1011.8HO also available with one sensor-operated button and one push button.



**1001MS**  
**BARRIER-FREE, IN-WALL MOUNTED FOUNTAIN**

Barrier-free, satin finish, stainless steel drinking fountain with sculpted bowl, back panel and in-the-wall mounting system, and 100% lead-free waterways. Sensor-operated model available, 1001MSHO.

**H1001.8HPSHO**  
**SENSOR-OPERATED FOUNTAIN**

Sensor-operated fountain for touchless hydration. High-polished stainless steel model provides 8 GPH (30.28 LPH) chilled water. Push button model available, H1001.8HPS.



## FEATURES & BENEFITS

- Touchless activation options
- 100% lead-free waterways
- 18-gauge, Type 304 stainless steel bowl with 14-gauge bracket
- Polished, chrome-plated brass vandal-resistant bubbler and push button
- Satin stainless steel, and high-polished stainless steel finishes available
- Custom finishes and configurations available
- Laminar flow which produces a more even flow and eliminates splashing
- Barrier-free for ADA access
- Front access stream adjustment, cartridge and strainer
- Elegant swirl bowl design channels water to ensure proper drainage
- Vandal-resistant components and bottom plates
- 100% U.S.A. factory pressure tested to meet the highest quality standards

# WALL MOUNTED

## FEATURES & BENEFITS - 2000S & 2000SMS

### TOUCHLESS BOTTLE FILLING STATIONS

#### 2000S

- Recessed into wall (shown)
- Plumbed drain
- Automatic 24-hour purge feature
- ADA accessible\*
- 15" W x 3.9" D x 30.25" H

#### 2000SMS

- Surface mounted on wall
- Integral drain pan with plumbed drain option
- Automatic 24-hour purge feature
- ADA accessible\*
- 15" W x 6.9" D x 30.25" H



Customize your new or existing drinking fountain or bottle filler with your logo, slogan, or graphic! Increase brand recognition by personalizing your hydration products by easily retrofitting with a custom back panel, model 6475.

\*when mounted at correct height

#### H1117LN.8-1920


### HI-LO DUAL FOUNTAIN AND BOTTLE FILLER

Barrier-free, 14-gauge, hi-lo electric water cooler and bottle filler with adult and child ADA capabilities. Sensor-operated model H1117LN.8HO2-1920HO available.



## FEATURES & BENEFITS

- 100% lead-free waterways
- Polished, chrome-plated brass bubbler, push button and waster strainer
- Barrier-Free
- Front access stream adjustment, cartridge and strainer
- Vandal-resistant components
- Integral waste trap
- 100% U.S.A. factory pressure tested to meet the highest quality standards



#### 1920 and 1920HO

### BOTTLE FILLING STATION

Push button and sensor-operated models available for the versatile, wall-mounted, satin finished bottle filler that can be mounted alone or above a drinking fountain. Constructed of 14-gauge, Type 304 satin finish stainless steel with 100% lead-free waterways and 1 GPM (3.78 LPM) laminar flow.



Model 1001HO-1920HO shown with back plate models BP6 and BP15

#### 1922

### BOTTLE FILLER W/DRIP TRAY DRAIN

This wall mounted bottle filler offers the 'only' all stainless-steel valve body that is machined out of solid bar stock, is fully serviceable through the front of the push button assembly offering access to the water control cartridge and integral water supply strainer, and has front access to the water stream height adjustment for easy maintenance without having to remove the valve. Sensor-operated model 1922HO available.



#### H1119.8HO-1920HO

### HI-LO ELECTRIC WATER COOLER

Sensor and push button operated, hi-lo electric water cooler provides 8 GPH (30.28 LPH) chilled water. Made of stainless steel, features include vandal-resistant bubbler heads, waste strainers and bottom plates. Grille slots are designed to eliminate sharp edges and are backed with a foam filter to protect the fan motor and high displacement compressor from debris.

**Triple sensor-operated Model: H1119.8HO2-1920HO**

**Triple push button operated Model: H1119.8-1920**



Model H1119.8HO-1920HO shown with back plate model BP32 and drip tray model 6469

# WALL MOUNTED OUTDOOR

## 1047 WALL-MOUNTED, CONCRETE FOUNTAIN

Wall-mounted design with child ADA capabilities. Heavy-duty, steel-reinforced construction with pre-cast, air-entrained concrete to ensure 5000+ PSI compressive strength. Hood extension protects the bubbler head with a partial enclosure for a greater protected drinking point. Exposed aggregate finish.



## 1109FRB BARRIER-FREE, FREEZE- RESISTANT, FOUNTAIN

Barrier-free, vandal-resistant, 18-gauge stainless steel drinking fountain includes a fully engineered pneumatic operated freeze-resistant valve assembly for continual use during winter months. Wall mounted design allows the unit to be placed securely in multiple locations without taking up excess space.

## 1119FRP BARRIER-FREE, FREEZE- RESISTANT, FOUNTAIN AND BOTTLE FILLER

Barrier-free, vandal-resistant, 18-gauge stainless steel drinking fountain and bottle filler incorporates a fully engineered pneumatic operated freeze-resistant valve assembly. Wall mounted design allows the unit to be placed securely in multiple locations without taking up excess space.



## FEATURES & BENEFITS

- 100% lead-free waterways
- Polished, chrome-plated brass bubbler, push button and waster strainer
- Barrier-Free
- Front access stream adjustment, cartridge and strainer
- Vandal-resistant components and bottom plates
- Integral waste trap
- 100% U.S.A. factory pressure tested to meet the highest quality standards



## 1025 BARRIER-FREE, HEAVY-DUTY FOUNTAIN

Barrier-free, heavy-duty 11-gauge fabricated galvanized steel with green powder-coated finish. Top-down drain access allows for cleaning without taking unit apart. Welded heavy-duty bubbler guard protects the drinking point from misuse. **AVAILABLE IN CUSTOM COLORS**



## 1501 BARRIER-FREE, HI-LO, ENAMELED IRON DUAL FOUNTAIN

Barrier-free, hi-lo, wall-mounted design with white enameled iron construction. Soft rounded corners prevent mishaps and other accidents that may occur once installed. Matching back panel provides a better base for a sturdier fountain.



## 3690 Config WM BARRIER-FREE, HEAVY-DUTY BOTTLE FILLER

Barrier-free, heavy-duty outdoor, ADA accessible outdoor wall mounted bottle filler uses a patented push-button stainless steel valve assembly allowing for front access stream adjustment as well as cartridge and strainer access.

## 1431 ENAMELED IRON, TWO-BUBBLER FOUNTAIN

Two-bubbler, enameled iron, barrier-free fountain provides for bullet-proof durability. Bubbler heads locked to main bowl prevent against vandals and provide efficient water flow for twice the users as single-bubbler fountains.



## 1409 CAST ALUMINUM, MULTI-BUBBLER FOUNTAIN

Multi-bubbler, barrier-free, white powder-coated cast aluminum construction. Gloss finish resists stains keeping the fountain protected. Three bubbler heads locked to main bowl prevent against vandals and provide efficient water flow in high traffic areas.



# PEDESTAL OUTDOOR

## 3602 with 3670 dog bowl ADA OUTDOOR STAINLESS STEEL DUAL FOUNTAIN WITH DOG BOWL

Heavy-duty outdoor, ADA pedestal dual drinking fountains and dog bowl with matte silver powder-coated finish, and the option of adding/changing a drinking fountain, bottle filler, dog bowl and/or hose bib at any time. **AVAILABLE IN CUSTOM COLORS**



## 3612 ADA OUTDOOR STAINLESS STEEL BOTTLE FILLER AND DUAL FOUNTAIN

Heavy-duty outdoor, ADA pedestal bottle filler and dual drinking fountains with matte silver powder-coated finish, and the option of adding/changing a drinking fountain, bottle filler, dog bowl and/or hose bib at any time. Filtered model available 3612F. **AVAILABLE IN CUSTOM COLORS**



**3300  
HEAVY-DUTY, HI-LO FOUNTAIN**  
Hi-lo, barrier-free design. Ready for any environment with heavy-duty, 11-gauge construction, bubbler guards and recessed push buttons. Freeze-resistant model, 3300FR. Bib faucet option available. **AVAILABLE IN CUSTOM COLORS**



**3511  
HEAVY-DUTY, HI-LO FOUNTAIN**  
Antique style pedestal made of heavy-duty, cast aluminum with powder-coated finish makes for one of the most stylish fountains that Haws produces. Standard color is black. Freeze-resistant model, 3511FR. Bib faucet option available.



**3610  
ADA OUTDOOR STAINLESS STEEL  
BOTTLE FILLER**  
Heavy-duty outdoor, ADA pedestal bottle filler with matte silver powder-coated finish, and the option of adding/changing a drinking fountain, bottle filler, dog bowl and/or hose bib at any time. Filtered model available 3610F. **AVAILABLE IN CUSTOM COLORS**

## 3380 GALVANIZED STEEL FOUNTAIN

Heavy-duty, 11-gauge, fabricated galvanized steel with powder-coated finish provides exceptional corrosion resistance in one of our toughest made fountains. Standard color is green. Freeze-resistant model, 3380FR. **AVAILABLE IN CUSTOM COLORS**




## 3202 ANGLED, TROUGH-STYLE FOUNTAIN

Angled, barrier-free, trough-style design allows the pedestal to be placed securely in multiple locations where a gravel fill is present or can be installed. Gravel fill and trough design completely eliminate the need for traditional drains that can be clogged with sand and other contaminants. Bib faucet option available. Standard color is green. **AVAILABLE IN CUSTOM COLORS**



### CUSTOM COLOR SELECTIONS



## FEATURES & BENEFITS

- 100% lead-free waterways
- Barrier-Free
- Front access stream adjustment, cartridge and strainer
- Vandal-resistant components
- Chrome-plated brass bubbler, push button and waste strainer
- Aesthetically pleasing and protective powder-coated surfaces



# CONCRETE PEDESTAL OUTDOOR



**3150**  
**ADJUSTABLE ARM, CONCRETE FOUNTAIN**  
Adjustable design allows the arm to be mounted at adult or child height as required by ADA. Hood extension protects the bubbler head with a partial enclosure for a greater protected drinking point.



**3121**  
**CONCRETE PEDESTAL FOUNTAIN**  
Square concrete design with exposed aggregate finish. Hood extension protects the bubbler head for a greater protected drinking point.



**3177**  
**ADA CONCRETE PEDESTAL FOUNTAIN**  
Angled, barrier-free with hood extension to protect bubbler head. ADA, wire-reinforced concrete pedestal drinking fountain with exposed aggregate finish and 100% lead-free waterways.

**6620**  
**SQUARE CONCRETE STEP**  
Matching square concrete step for square concrete pedestals. Steel-reinforced, pre-cast construction with air-entrained concrete to ensure 5000+ PSI compressive strength with exposed aggregate finish. 10" (25.4 cm) high for surface mounting.



**6518FR**  
**FREEZE-RESISTANT VALVE SYSTEM**  
Fully-engineered, pneumatic-operated, freeze-resistant valve system for all pedestal fountains. System is installed below the frost line.



## FEATURES & BENEFITS

- Heavy-duty, steel-reinforced construction with precast, air-entrained concrete to ensure 5000+ PSI compressive strength, exposed aggregate finish
- Front access stream adjustment, cartridge and strainer
- Vandal-resistant components including recessed push buttons
- Polished, chrome-plated brass bubbler, push button and waste strainer
- Oversize access panels for ease of maintenance
- Attractive, high-polished stainless steel basins
- Top-down access to the drain allows the fountain to be cleaned without taking the unit apart
- Freeze-resistant options

## EASY TO ORDER

- Go to [www.hawesco.com](http://www.hawesco.com)
- Choose the model
- Select one of the four concrete finishes
- Select the concrete color

To view all concrete color options, go to [www.hawesco.com](http://www.hawesco.com)

### Four Concrete Finishes



### Sample of Concrete Colors





# SINK COUNTER-TOP MOUNTED



## 4110ADA ENAMELED IRON DECK SINK

Barrier-free capabilities when mounted at appropriate height. Recessed sink design with water tight fit and stainless steel mounting rim (not shown) helps to minimize excess splashing. Heavy-duty, cast iron basin with a glossy white, acid-resisting enamel finish. Pre-punched to accept two valves and/or faucets. Model shown with optional components.

## SINK FEATURES & BENEFITS

- Barrier-Free
- Stainless steel or enameled iron construction
- Vandal-resistant components



## FAUCET FEATURES & BENEFITS

- 100% lead-free waterways
- Polished, chrome-plated brass construction
- Vandal-resistant components



## 4230 BARRIER-FREE, COUNTER-MOUNTED SINK

Stainless satin finish resists stains and corrosion. Sunken sink design helps to minimize excess splashing and self-rimming allows for easy mounting, while the stainless steel construction provides durability and corrosion resistance. Water-tight fittings along with sound deadening undercarriage keep this unit mounted securely on any counter-top. Measurements: 31" x 19" x 5" (78.7 cm x 48.3 cm x 12.7 cm) deep. Model shown with optional components.



## 4010 STAINLESS STEEL DECK FOUNTAIN

Ideal for sink or counter-top locations. Stainless steel bubbler valve with adjustable stream regulation. Anti-squirt flow prevents surging water, keeping the drinking area contained and clean. Equipped with mounting bracket and waste strainer.

# VALVE REPAIR KITS



## VRK5872 VALVE REPAIR KIT

VRK5872 valve repair kit for model 5872. Includes push-button, adjusting spring, diaphragm ring slip, diaphragm assembly, valve stem, bottom spring, bottom plug "O" ring, and bottom plug.



## VRK5874 VALVE REPAIR KIT

VRK5874 valve repair kit for model 5874. Includes wave washer, cartridge regulator and 60 mesh strainer.



## VRK5874HF VALVE REPAIR KIT

VRK5874HF valve repair kit for the models 1920 model series and the 3690. Includes wave washer, high flow cartridge regulator and 60 mesh strainer.

# ACCESSORIES



**5010.6427SS**  
A polished stainless steel push-button bubbler valve for countertop or sink mounting.



**5017LF**  
All polished chrome-plated sink or counter-mounted drinking faucet with renewable control cartridge.



**5051LF**  
Polished chrome-plated lever handle deck or sink-mounted bubbler valve.



**5054LF**  
Self-closing lever handle, polished chrome-plated brass deck-mounted drinking faucet with automatic stream regulation.



**5452LF**  
Self-closing lever handle, polished chrome-plated brass gooseneck faucet.



**5510LF**  
Stay-open lever handle, polished chrome-plated brass gooseneck faucet.



**5551**  
Push lever operated, self-closing, polished chrome-plated brass, deck-mounted, gooseneck cold water glass-filler faucet.



**5874PBF**  
Lead-free, stainless steel, push-activated, chrome-plated brass push button valve. Includes PBA7 recessed-style, push button assembly.



**5874PBF**  
Flush-mount, lead-free, stainless steel, push-activated, chrome-plated brass, push button valve. Includes PBA6 flush-mount, push button assembly.



**6250LF**  
Self-closing, plain end, lead-free, brass bib faucet with polished chrome-plated finish.



**6252EHLF**  
Self-closing, plain end, bib faucet with rough brass finish and a special extended lever handle which is locked to valve.



**6423**  
Replacement filter for models 2000S and 2000SMS bottle filling stations. (U.S. and Canada only)



**6426**  
Filter, 12" x 2" (30.5 cm x 5 cm), in-line lead removal element that reduces lead from incoming water supply.



**6455**  
Polished chrome-plated brass flat waste strainer.



**6469**  
Drip tray used with the 1920 series bottle fillers for single or dual fountain.



**6603**  
Satin finish stainless steel access panel. Includes frame and screws.




**6611**  
Sand trap for installing adjacent to pedestal drinking fountains to help prevent debris and contaminants from clogging waste line. Use model 6635 for models 3500 and 3511.



**6635**  
In-pedestal sand trap for models 3500, 3511 and 3600 series fountains.



**6700**  
Universal mounting plate for most single bubbler wall-mounted fountains. Panel is 18" W x 7" H (45.7 x 17.8 cm).




**6700.4**  
Hi-lo universal mounting plate for most dual bubbler wall-mounted fountains. Panel is 36" W x 12" H (91 x 30.5 cm).

## ANTIMICROBIAL COPPER SAFE-TOUCH™ PUSH BUTTON New or Retrofit Options



**PBA6C**  
Fits Valve Type 5874PBF



**PBA7C**  
Fits Valve Type 5874PB



**PBA8C**  
Fits Valve Type Model 5010SS



# ACCESSORIES



**6700.4L**  
Mounting plate used with the 1920 series bottle fillers for dual fountain. Panel is 36" W x 7" H (91.4 x 17.8 cm).



**6700R**  
Mounting plate used with the 1920 series bottle fillers for single or dual fountain retrofit installations. Panel is 14" W x 7" H (35.6 x 17.8 cm).



**6715**  
In-wall mounting plate provides the maximum support and facilitates the installation of hi-lo, barrier-free, 1501 series fountains. Panel is 36" W x 14" H (91 x 35.6 cm).



**6800**  
Universal in-wall mounting support for use with most fountains.



**HCR8**  
Chiller provides for instantaneous cooling to meet a continuous demand for chilled water.



**BP6**  
Back panel that increases location visibility. Model BP6 is 15" x 9" (38 cm x 22.9 cm) stainless steel with a satin finish. Used on model 1001.




**BP15**  
Satin-finish stainless steel 15-inch back panel for Model 1920. Back panel is 15" x 17" (38 x 43.2 cm). BP15 and 1920 can be used with 1001 and 1107L models. Available in high-polished stainless steel, model BP15HPS.



**BP32**  
Satin-finish stainless steel 32-inch back panel for Model 1920. Back panel is 32" x 9.5" (81 x 24 cm). BP32 is to be used with model 1920 and 1011, H1011.8, H1117.8 or 1117L. Available in high-polished stainless steel, model BP32HPS. Model BP32R has opening on upper left side, no high-polish available.



**MTGFR.LG**  
In-wall mounting frame provides the maximum support and facilitates the installation of hi-lo, electric water coolers.



**MTGFR.DF2**  
In-wall mounting frame provides maximum support and facilitates the installation of 1011MS and 1011HPSMS series fountains.



**MTG.3501**  
Galvanized steel anchors.



**SK1**  
Satin finish stainless steel cane touch skirt for high unit to comply with ADA protruding objects guidelines.



**SK3**  
Satin finish stainless steel cane touch skirt for high unit to comply with ADA protruding objects guidelines when needed.

## BOTTLE STAND KITS



**BTL1001**  
Add-on, stainless-steel, bottle stand for the 1001/1011 series drinking fountains with the 1920 bottle filler installed.









**BTL1107**  
Add-on, stainless-steel, bottle stand for the 1107/1117 series drinking fountains with the 1920 bottle filler installed.



**BTL1311**  
Add-on, stainless-steel, bottle stand for the 1311/1501 series drinking fountains with the 1920 bottle filler installed.



# FILTER MODEL OPTIONS

						
<b>Filter Model</b>	<b>6422</b>	<b>6423</b>	<b>6425</b>	<b>6426</b>	<b>6428 &amp; 6428-C</b>	<b>6477</b>
<b>Used In</b>	Haws 2000 & 2000SM	Haws 2000S, 2000SMS, 2000SMSN, 2000SN, 2010, & 2010SM	Retrofit for Drinking Fountains & Bottle Fillers	Retrofit for Drinking Fountains & Bottle Fillers	All Filtered Models of 12XX-Series Electric Water Coolers & 36XX-Series Drinking Fountains	Retrofit for 36XX-Series Drinking Fountains
<b>Connection to Head</b>	Quarter Turn Connection	Threaded Connection	N/A	N/A	Quarter Turn Connection	Quarter Turn Connection
<b>Plumbing Ports</b>	3/8" Female Quick Connect (on Head)	1/4" Female Quick Connect (on Head)	3/8" Female NPT (on Filter)	1/4" Female NPT (on Filter)	3/8" Female Quick Connect (on Head)	3/8" Female Quick Connect (on Head)
<b>Gallon Rating</b>	2,500 Gallons	2,500 Gallons	1,000 Gallons	1,250 Gallons	3,000 Gallons	3,000 Gallons
<b>Maximum Service Flow Rate</b>	0.75 GPM	0.50 GPM	0.50 GPM	0.50 GPM	1.67 GPM	1.67 GPM
<b>Filter Media</b>	20 Micron Granular Activated Carbon	1 Micron Carbon Block	5 Micron Granular Activated Carbon	1 Micron Carbon Block	1 Micron Carbon Block	1 Micron Carbon Block
<b>Removes/Reduces</b>	•Chlorine Taste & Odor	•Chlorine Taste & Odor •Lead •Cysts •VOC	•Chlorine Taste & Odor •Sediment	•Chlorine Taste & Odor •Lead •Cysts •VOC	•Chlorine Taste & Odor •Lead •Cysts •VOC	•Chlorine Taste & Odor •Lead •Cysts •VOC
<b>Certifications</b>	NSF/ANSI 42	NSF/ANSI 42 & 53	NSF/ANSI 42	NSF/ANSI 42 & 53	NSF/ANSI 42 & 53	NSF/ANSI 42 & 53
<b>Advanced Features</b>	Convenient Quick Change Feature	Electronic Total Flow Tracking	Retrofit Options	In-line Filter	RFID Filter Detection (12XX Units Only)	Kit Includes 6428 Filter & 0110000786 Head, Plus Associated Mounting & Plumbing

# SCHOOL PRODUCTS

**3612**  
**OUTDOOR BOTTLE FILLER & DRINKING FOUNTAIN**



**7620**  
**AXION® EYEPOD®**



**1409**  
**WALL-MOUNTED DRINKING FOUNTAIN**



**1212SF**  
**HI-LO FILTERED ELECTRIC WATER COOLER & BOTTLE FILLER**



# LEAD-FREE PRODUCTS SINCE 1990

*Reduction of Lead in Drinking Water Act, an amendment to the Safe Drinking Water Act, establishes a maximum lead content of wetted surfaces of plumbing products to a weighted average of 0.25%. With an effective date of January 4, 2014, this law necessitates all potable plumbing products sold and installed meet the new lead reduction requirement.*

All Haws® drinking fountain products are lead-free, as well as several AXION® Emergency Tempering Valves. These Haws products have NSF/ANSI/CAN 61: Q ≤ 1 and NSF/ANSI/CAN 372 certifications, obtained through the internationally recognized CSA Testing Laboratory, and are AB1953 compliant.



# CERTIFICATIONS

## AB1953

AB1953 is encompassed in the California Assembly Bill 1953, enacted in September of 2006, which calls for a reduction in lead content in all plumbing equipment including pipes, fittings, and fixtures to a level less than 0.25%. This law went into effect on the first day of January 2010 and all the aforementioned products sold and installed on and after that date must meet this AB1953 lead reduction requirement. In 1990, Haws® was already manufacturing products that fall within the lead reduction requirement that is now in effect.

All Haws drinking fountain products are lead-free, AB1953 compliant, and have NSF/ANSI 61-section 8 or section 9 and NSF/ANSI 372 certifications, obtained through the internationally recognized CSA Testing Laboratory.

## CERTIFICATIONS

The CSA and UL certification marks signify that the product meets applicable U.S. and Canadian standards, including those from CSA, ANSI, ASME, ASSE, ASTM, IAPMO, NSF, and UL.

Below is a list of certifications that Haws drinking fountain models and optional accessories have been tested and certified to use. Certifications for each model can be found in the model descriptions at [www.hawsco.com](http://www.hawsco.com).

**CSA:** Canadian Standard Association International



**FCC/IC:** Electronic Product  
FCC (U.S.), IC (Canada)

**FCC/IC**

**UL:** Underwriters  
Laboratories



Wheel Chair Accessible products

## NSF/ANSI/CAN 61-2020 CERTIFIED

Haws is pleased to announce that our hydration products meet the new Lead-Free Plumbing Fixtures requirements ahead of the National and State of California standard deadlines. Haws is ahead of the deadlines and products are already in full compliance with the new lead-free requirements. We have more than 180 hydration models and component products now certified to the new NSF/ANSI/CAN 61-2020 requirements.



## MASTERSPEC®, REVIT, CAD

Masterspec® files now available for Haws products, as well as revit and cad files from caddetails and bim object.





## DON'T SEE EXACTLY WHAT YOU'RE LOOKING FOR?

Our team can help create a personalized product solution to fit your needs.

Below are some commonly ordered custom designs:

- Custom colors
- Modified product dimensions
- Custom logos

Call us at 888.640.4297, or email [info@hawsco.com](mailto:info@hawsco.com)



Scan to access all technical data sheets, drawings, and manuals!

### US/Canada

Haws HQ  
[www.hawsco.com](http://www.hawsco.com)  
+1.888.640.4297

### Latin America

Haws LATAM  
[www.hawsavlis.com.br](http://www.hawsavlis.com.br)  
+55.11.4813.9977

### Europe/Middle East/Africa

Haws EMEA  
[www.haws.ch](http://www.haws.ch)  
+41 (0) 34.420.6000

### Asia Pacific

Haws APAC  
[www.haws.sg](http://www.haws.sg)  
+65.6367.0359

Haws India  
[www.hawsco.in](http://www.hawsco.in)  
+91.124.494.2050



1455 Kleppe Lane  
Sparks, NV 89431

[www.hawsco.com](http://www.hawsco.com)  
Email: [info@hawsco.com](mailto:info@hawsco.com)

+1.888.640.4297  
+1.775.359.4712  
Fax: +1.775.359.7424